

## **MIRANOL HIGH GLOSS ENAMEL OVER EXISTING PAINT FINISH**

### **METAL GUTTERS, DOWN PIPES AND BALUSTRADES**

Remove dirt, oil, grease and white rust etc by washing down with VALTTI ROOF CLEANING AGENT then rinse with clean water and allow to dry thoroughly.

Clean out and remove all debris from guttering and down pipes.  
Wash down for a finish.

Remove all rust, loose and flaking paint coatings back to metal by grinding, scraping, steel brushing or sanding down.

Spot prime all clean bare metal with SUPER METAL PRIMER in grey, iron oxide red, black or green.  
Allow 24 hours to dry before over coating.

**Note:** Low temperatures and high humidity will make drying times longer.

Sand down with Silicon Carbide Paper P100\200 so as to achieve a smooth surface.

Dust down.

Apply two coats of MIRANOL GLOSS in selected colour over all thinned by up to 5% with white spirit.  
Allow the first coat to dry for 24 hours before over coating.

**Selected Colours for all except window guards:**

**Black**

