

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
--------------	---------------------	--------------------------	------------------	------------------	--------------------------	-------------------------	------------------------------------	---------------------------	---------------------------	---------	------------------

ALKYD PRIMERS

Temaprime EUR		Alkyd zinc phosphate primer or primer/finish for steel	51	75	6.8	1006	A(i) 2010				
ProtegaPrime MPH700		Compliant alkyd zinc phosphate primer or primer/finish for steel	58	75	7.7	1006	A(i) 2010				
ProtegaPrime MPH800		Alkyd zinc phosphate primer or primer/finish for steel	45	75	6.0	1006	A(i) 2010				
Temaprime EE		Fast drying, single pack zinc phosphate special primer	47	50	9.4	1006	A(i) 2010				
OPUS ZP		Alkyd zinc phosphate primer/finish for steel	45	75	6.0	1050 or 1006 (for both)	A(i) 2010				
ProtegaPrime QD		Modified alkyd matt primer for the ACE market Colours: Black & Cat Yellow	40	40	10.0	1006	na				
ProtegaPrime VRP		Specialist compliant alkyd primer for vehicle refinishing	45	50	9.0	1736	B(c) 2007				

Protega
Protective
Coatings Price
List May 2009



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
ALKYD INTERMEDIATES & TOPCOATS											
ProtegaLac OCF90		Modified alkyd One Coat Finish for steel, full gloss Colours: full tinted range	55	75	7.3	1006	A(i) 2010	5005TAL11MH	5lt	White tint base	6.58
								5005TCL11MH	5lt	Clear tint base	5.77
								5006TAL11PBR	5lt	(L) White tint base	6.58
								5006TCL11PBR	5lt	(L) Clear tint base	5.77
ProtegaLac C12 & C12(L)		Modified alkyd primer/finish for containers Colours: full tinted range	35	75	4.7	1006	A(i) 2007	2330TVL11MH	5lt	White tint base	5.10
								2330TVL45MH	20lt	White tint base	4.80
								2330TCL11MH	5lt	Clear tint base	4.08
								2330TCL45MH	20lt	Clear tint base	3.80
								2242TVL11MH	5lt	(L) White tint base	5.10
								2242TVL45MH	20lt	(L) White tint base	poa
								2242TCL11MH	5lt	(L) Clear tint base	poa
								2242TCL45MH	20lt	(L) Clear tint base	3.80
								233243213MHR	20lt	Matt Evening Blue*	poa
ProtegaLac Containergard HS & Containergard HS(L)		Compliant, high solids, modified alkyd primer/finish for containers Colours: full tinted range	63	75	8.4	1006	A(i) 2010	2230TVL11MH	5lt	White tint base	6.76
								2230TVL45MH	20lt	White tint base	6.48
								2230TCL11MH	5lt	Clear tint base	6.04
								2230TCL45MH	20lt	Clear tint base	5.76
								2238TVL11MH	5lt	(L) White tint base	6.76
								2238TVL45MH	20lt	(L) White tint base	6.48
								2238TCL11MH	5lt	(L) Clear tint base	6.04
								2238TCL45MH	20lt	(L) Clear tint base	5.76
ProtegaLac AM112, 113, 114		Urethane alkyd MIO intermediate or finish Colours: Grey & Black, Silver Grey to order.	52	60	8.7	1050	A(i) 2010	221111211MH	5lt	Grey	5.61
								221111411MH	5lt	Black	6.07
								221111311MH	5lt	Silver Grey*	poa
OPUS VT90		Alkyd high gloss finish, designed for use over OPUS ZP primer and general use Colours: Black and full tinted range	34	35	9.7	1050 or 1006 1050 or 1006	A(i) 2007	2014TAL11MH	5lt	White tint base	4.55
								2014TCL11MH	5lt	Clear tint base	3.79
								2007TAL11MH	5lt	(L) White tint base	4.55
								2007TCL11MH	5lt	(L) Clear tint base	3.79
ProtegaLac AFV		Fast air-drying alkyd semi- gloss finish Colours: full tinted range	47	40	11.8	1006	A(i) 2010	203990011MH	5lt	White tint base	7.60
								203990045MH	20lt	White tint base	poa
								203990311MH	5lt	Clear tint base	6.03
								203990345MH	20lt	Clear tint base	5.70
ProtegaLac ABV90 & ABV90(L)		High build alkyd gloss finish. Colours: full tinted range	42	60	7.0	1006 or 1050	A(i) 2010	2081TAL11MH	5lt	White tint base	5.56
								2081TCL11MH	5lt	Clear tint base	4.82
								2241TAL11MH	5lt	(L) White tint base	poa
								2241TCL11MH	5lt	(L) Clear tint base	poa
ProtegaLac ACV90 & ACV90(L)		Fast air-drying alkyd full gloss finish Colours: full tinted range	41	40	10.3	1006	A(i) 2007	2082TAL11MH	5lt	White tint base	5.75
								2082TAL45MH	20lt	White tint base	5.75
								2082TCL11MH	5lt	Clear tint base	4.89
								2082TCL45MH	20lt	Clear tint base	4.64
								2240TAL11MH	5lt	(L) White tint base	poa
								2240TAL45MH	20lt	(L) White tint base	poa
								2240TCL11MH	5lt	(L) Clear tint base	poa
								2240TCL45MH	20lt	(L) Clear tint base	poa
Temalac FD80		Fast drying, glossy alkyd topcoat including tintable Metallic finishes	45	40	11.25	1006	A(i) 2007	18072260130	3lt	TVL tint base - white	5.75
								18072260170	20lt	TVL tint base - white	5.70
								18072230130	3lt	TCL tint base - clear	5.54
								18072230170	20lt	TCL tint base - clear	5.11

Symphony Paints (South) Ltd
Lincoln Road, Cressex Business Park, High Wycombe, Bucks
HP12 3RB
T:0845 456 2425. E:sales@symphonypaints.co.uk

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
								18072300160	10lt	Metallic THL tint base	6.89
								18072400160	10lt	Silver TML tint base	12.51

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
Temalac Hammer		Glossy alkyd Hammer finish	42	40	10.5	1006 1006	A(i) 2007	61572310110 61572310160	1lt 9lt	THF tint base THF tint base	13.24 12.62
ProtegaLac PU90		Fast air-drying PU modified alkyd high gloss enamel - white spirit based. Colours - full tinted range	40	30	13.3	1006 or 1050 1006 or 1050	A(i) 2010	5861TAL91MH 5861TCL91MH	5lt 5lt	White tint base Clear tint base	6.28 4.50
ProtegaLac MD90		Quick air-drying modified high gloss alkyd enamel for the ACE market and steelwork. Colours - to order	38	30	12.7	1006 1006	na	2140 series		To order	poa
ProtegaLac TF95 & TF95(L)		Modified urethane alkyd high quality CV finish Colours - full tinted range	50	25	20.0	1736 1736	B(d) 2007	2237TAL11MH 2237TDL11MH 2237TDL13MH 2248TDL13MH	5lt 5lt 20lt 20lt	White tint base Clear tint base Clear tint base (L) Clear tint base	6.96 5.89 5.68 5.68

WATER BORNE ACRYLIC COATINGS

											0.00 0.00
Fontecryl 10		Water borne acrylic zinc phosphate primer for interior and exterior metal surfaces - matt Colours: Grey (TVT4001) and full tinted range	43	50	8.6	Water Water or 1921	A(i) 2010	21340010060 21340010070 21382210160 21382230160	10lt 20lt 10lt 10lt	Grey 4001 Grey 4001 FAL Tint base - white FCL Tint base - Clear	7.37 7.09 8.16 7.10
Fontecryl 25		Water borne acrylic zinc phosphate primer or one coat system for interior or exterior metal surfaces - semi-matt Colours: full tinted range	42	50	8.4	Water Water or 1921	A(i) 2010	21482210160 21482230160	10lt 10lt	FAL Tint base - white FCL Tint base - Clear	9.98 8.55
Fontecryl AP		Water borne fast drying zinc phosphate acrylic primer for metal surfaces Colours: limited range and to order	33	40	8.25	Water 1921	A(i) 2010	00659700070 00659710070 00659730070 00659750070 00659720090 00659740090 00659760090	20lt 20lt 20lt 20lt 200lt 200lt 200lt	Black (48127) Grey (48121) Red (48126) Lt Grey (TVT 4004) Yellow (48127) Green (48123) Dark Brown (RAL 8017)	6.71 9.43 6.03 8.76 6.62 6.69 8.64
Fontecryl 50		Water borne acrylic semi-gloss topcoat Colours: full tinted range	43	50	8.6	Water Water or 1921	A(i) 2010	21282210160 21282230160	10lt 10lt	FAL Tint base - white FCL Tint base - Clear	9.04 7.45
Fontex AC45		Water borne acrylic semi-matt primer or topcoat for concrete, plaster, brick surfaces Colours: full tinted range	40	50	8	Water Water or 1921	A(a) 2007	14460010160 14460030160	10lt 10lt	FAL Tint base - white FCL Tint base - Clear	6.09 5.76
Fontelac QD80		Water borne glossy topcoat for metal based on alkyd dispersion Colours: full tinted range	40	40	10	Water Water or 1921	A(i) 2010	20782210160 20782230160	9lt 9lt	FAL Tint base - white FCL Tint base - Clear	13.19 11.98

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
--------------	---------------------	--------------------------	------------------	------------------	--------------------------	-------------------------	------------------------------------	---------------------------	---------------------------	---------	------------------

EPOXY PRIMERS & PRIMER/FINISHES

ProtegaLineTPL50		Transco approved epoxy internal pipeline coating* Colours: Red Oxide only	55	50	11	1031 1031	na	337734678MH	(20lt)	Base*	poa
								406500121MH	(20lt)	Activator*	poa
								487134613MH	20lt	Composite - Red Oxide*	poa
ProtegaShield ES50		Epoxy aluminium primer/sealer for metal spray Colours: aluminium only	32	25	12.8	1031 950	na	334600221MH	(5lt)	Base	poa
								405006409MH	(5lt)	Activator	poa
								486100211MH	5lt	Composite - Aluminium	poa
ProtegaShield EPY102		Epoxy adhesion promoting primer Colours: white only	42	30	14.0	1031 1031	A(j) 2007	332000121MH	(5lt)	Base	7.03
								405010109MH	(5lt)	Activator	7.90
								485100111MH	5lt	Composite - White	7.21
ProtegaShield EV710		Epoxy zinc phosphate blast primer (H.A. and RT98 approved) Colours: Buff only	46	25	18.4	1031 950	na	333771021MH	(5lt)	Base	10.03
								405020009MH	(5lt)	Activator	8.33
								485500211MH	5lt	Composite - Buff	9.69
ProtegaShield EPY300 & 301		Epoxy zinc phosphate primer or primer/finish Colours: Red Oxide & Grey	54	75	7.2	1031 950	A(j) 2010	334510071MH	(5lt)	Base - Red Oxide	poa
								334510069MH	(20lt)	Base - Red Oxide	4.86
								334510171MH	(5lt)	Base - Grey	5.21
								334510169MH	(20lt)	Base - Grey	4.92
								405006339MH	(5lt)	Activator	5.91
								405006362MH	(20lt)	Activator	5.65
								486010011MH	5lt	Composite - Red Oxide	poa
								486010013MH	20lt	Composite - Red Oxide	4.89
								486010111MH	5lt	Composite - Grey	5.35
								486010113MH	20lt	Composite - Grey	4.94
ProtegaShield EPY372 & 373		Epoxy primer/finish or intermediate/finish containing zinc phosphate & MIO Colours: Silver Grey & Natural Grey	54	100	5.4	1031 950	A(j) 2010	334510469MH		Base - Silver grey	5.81
								334510569MH		Base - Natural grey	5.55
								405006362MH		Activator	5.65
								486010413MH	20lt	Composite - Silver Grey (EPY373)	5.68
								486010513MH	20lt	Composite - Natural Grey (EPY372)	5.54
Temacoat GPL-S		Two pack epoxy primer for steelwork Colours: Red oxide, Grey and full tinted range	55	75	7.3	1031 1031	A(j) 2007	17940000470	(20lt)	Base - Red oxide	5.76
								17940040470		Base - Grey TVT 4004	
									(20lt)		6.23
								17973260370	(20lt)	TVH tint base - white	6.34
								17973230370	(20lt)	TCH tint base - clear	5.51
								00856000040	(20lt)	Activator	6.87
								00856050040	(20lt)	Fast Activator	9.21
								17940000470C	20lt	Composite - Red oxide	5.98
								17940040470C	20lt	Composite - Grey	6.36
								17973260370C	20lt	Composite - TVH tint base	6.45
								17973230370C	20lt	Composite - TCH tint base	5.80
								17940000470CF	20lt	Composite - Red oxide FAST	6.45
								17940040470CF	20lt	Composite - Grey FAST	6.82

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
								17973260370CF	20lt	<i>Composite - TVH tint base FAST</i>	6.96
								17973230370CF	20lt	<i>Composite - TCH tint base FAST</i>	6.31

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
ProtegaShield EMP700 & 701		Compliant epoxy zinc phosphate primer (H.A. approved) Colours: Red Oxide & Grey	72	100	7.2	1031 950	A(j) 2010	340200110MH	(3.75lt)	Base - Red Oxide	poa
								340200112MH	(15lt)	Base - Red Oxide	10.71
								340200210MH	(3.75lt)	Base - Grey	10.63
								340200212MH	(15lt)	Base - Grey	10.17
								405630140MH	(3.75lt)	Activator	9.32
								405630111MH	(15lt)	Activator	8.95
								482300144MH	3.75lt	Composite - Red Oxide	poa
								482300127MH	15lt	Composite - Red Oxide	4.44
								482300244MH	3.75lt	Composite - Grey	4.51
								482300227MH	15lt	Composite - Grey	4.27
ProtegaShield SPF & SPF(L)		Compliant epoxy zinc phosphate semi-gloss primer/finish Colours: Red Oxide, Grey, White and full tinted range	60	100	6.0	1031 950	A(j) 2010	340390244MH	(5lt)	White tint base	7.00
								340390227MH	(20lt)	White tint base	6.79
								340390344MH	(5lt)	Clear tint base	6.02
								340390327MH	(20lt)	Clear tint base	5.70
								3321TVH44MH	(5lt)	(L) White tint base	poa
								3321TVH27MH	(20lt)	(L) White tint base	poa
								3321TCH44MH	(5lt)	(L) Clear tint base	poa
								3321TCH27MH	(20lt)	(L) Clear tint base	poa
								3403T1327MHR	(20lt)	White base	poa
								3403T2027MH	(20lt)	Red Oxide base	6.27
								3403T2127MH	(20lt)	Grey	6.15
								405007740MH	(5lt)	Activator	7.56
								405007711MH	(20lt)	Activator	7.65
								488490211MH	5lt	Composite - White tint base	7.18
								488490213MH	20lt	Composite - White tint base	6.88
								488490311MH	5lt	Composite - Clear tint base	6.42
								488490313MH	20lt	Composite - Clear tint base	5.98
								4888TVH11MH	5lt	(L) Composite - white tint base	poa
								4888TVH13MH	20lt	(L) Composite - white tint base	poa
								4888TCH11MH	5lt	(L) Composite - clear tint base	poa
								4888TCH13MH	20lt	(L) Composite - clear tint base	poa
								4884T1313MHR	20lt	Composite - White	poa
								4884T2013MH	20lt	Composite - Red	6.49
								4884T2113MH	20lt	Composite - Grey	6.47
Tematar TFA		Tar-free, high build epoxy for immersed and heavy abrasion areas Colours: Black only	70	125	5.6	1031	A(j) 2010	00854500370	(20lt)	Black	6.96
								00854590350	(20lt)	Activator	8.23
								00854500370C	20lt	Composite - Black	7.22
Temacoat RM40		Tar-free, resin modified epoxy for immersed and heavy abrasion areas Colours: full tinted range	65	100	6.5	1031	A(j) 2010	16173260330	(3lt)	White TVH Base	7.90
								16173260370	(20lt)	White TVH tint base	7.08
								16173230330	(3lt)	Clear TCH tint base	7.11
								16173230370	(20lt)	Clear TCH tint base	6.30
								16172300360	(10lt)	Metallic THL tint base	8.38
								00856000310	(3lt)	Activator	7.84
								00856000330	(10lt)	Activator	7.63
								00856000040	(20lt)	Activator	6.87
								16173260330C	3lt	Composite - white tint base	7.88
								16173260370C	20lt	Composite - white tint base	7.04
								16173230330C	3lt	Composite - clear tint base	7.27
								16173230370C	20lt	Composite - clear tint base	6.42

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
								16172300360C	10lt	Composite - Metallic tint base	8.22

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
Fontecoat EP Primer		Water borne epoxy zinc phosphate primer - semi-gloss	47	60	7.833	Water Water & 1029	A(j) 2010	00710010370	(20lt)	Base Red Oxide	12.27
								00710040370	(20lt)	Base Grey	11.21
								00710050370	(20lt)	Base Black	7.14
								00710400360	(20lt)	Base Beige	12.46
								Activator for Beige only			
								00710190370	(20lt)		10.66
								00710190060	(20lt)	Activator for other colours	10.29
								00710010370C	20lt	Composite - Red Oxide	11.28
								00710040370C	20lt	Composite - Grey	10.75
								00710050370C	20lt	Composite - Black	8.72
								00710400360C	20lt	Composite - Beige	11.38
Fontecoat EP50		Water borne epoxy primer/finish or topcoat - semi gloss.	47	125	3.76	Water Water & 1029	A(j) 2010	not yet available		FAH White base	tba
								16883230360	(9lt)	FCH Clear base	12.01
								00710190150	(9lt)	Activator	10.60
								not yet available		Composite - White tint base	0.00
								16883230360C	9lt	Composite - Clear tint base	11.31

EPOXY INTERMEDIATES & FINISHES

ProtegaCoat GPL		Chemically resistant epoxy finish and floor coating Colours: full tinted range	50	75	6.7	1031 1031	A(j) 2010	2933TVH44MH	(5lt)	White tint base	7.74
								293390344MH	(5lt)	Clear tint base	6.70
								405600140MH	(5lt)	Activator	12.58
								4802TVH11MH	5lt	Composite - White tint base	8.90
								480290311MH	5lt	Composite - Clear tint base	8.09
ProtegaShield ERV(HS)		Compliant high solids recoatable epoxy intermediate/finish Colours: full tinted range	70	100	7.0	1031 950	A(j) 2010	2937TVH44MH	(5lt)	White tint base	7.94
								293790344MH	(5lt)	Clear tint base	7.07
								405630040MH	(5lt)	Activator	9.54
								4803TVH11MH	5lt	Composite - White tint base	8.37
								480390311MH	5lt	Composite - Clear tint base	7.74
ProtegaShield EMM800 & 801		Compliant epoxy MIO intermediate/finish (H.A. Item 112) Colours: Dark Grey & Medium Grey	72	100	7.2	1031 950	A(j) 2010	291280010MH	(3.75lt)	Dark Grey base	10.08
								291280012MH	(15lt)	Dark Grey base	9.58
								291280110MH	(3.75lt)	Med Grey base	poa
								291280112MH	(15lt)	Med Grey base	9.99
								405630240MH	(3.75lt)	Activator	9.04
								405630211MH	(15lt)	Activator	8.53
								482200144MH	3.75lt	Composite - Dark Grey	9.73
								482200127MH	15lt	Composite - Dark Grey	9.15
								482200244MH	3.75lt	Composite - Med Grey	
								482200227MH	15lt	Composite - Med Grey	9.43
ProtegaShield EPY372 & 373		Epoxy primer/finish or intermediate/finish containing zinc phosphate & MIO Colours: Silver Grey & Natural Grey	54	100	5.4	1031 950	A(j) 2010	334510469MH		Base - Silver grey	5.81
								334510569MH		Base - Natural grey	5.55
								405006362MH		Activator	5.65
								486010413MH	20lt	Composite - Silver Grey (EPY373)	5.68
								486010513MH	20lt	Composite - Natural Grey (EPY372)	5.54

Symphony Paints (South) Ltd

Lincoln Road, Cressex Business Park, High Wycombe, Bucks
HP12 3RB

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
Fontecoat EP80		Water borne epoxy glossy topcoat	47	60	7.833	Water Water & 1029	A(j) 2010	16982210360	(9lt)	FAL Tint base - white	13.03
								16983230360	(9lt)	FCL Tint base - Clear	10.83
								00710190150	(9lt)	Activator	10.60
								16982210360C	9lt	Composite - white tint base	11.82
								16983230360C	9lt	Composite - clear tint base	10.72

SURFACE TOLERANT EPOXIES

ProtegaBond ST200		Surface tolerant epoxy aluminium primer (HA Item 115, RT98 item 7.1.5.) Colours: Dark Aluminium	80	125	6.4	1031 950	A(j) 2010	333200110MH	(5lt)	Dark Aluminium base	7.86
								405600610MH	(5lt)	Activator	8.67
								485300111MH	5lt	Composite Dark Alumin.	8.20
ProtegaBond WG200		Low temperature curing version of ST200 Colours: Dark Aluminium	80	125	6.4	1031 950	A(j) 2010	333200110MH	(5lt)	Dark Aluminium base	7.86
								405603310MH	(5lt)	Activator	9.41
								485300311MH	5lt	Composite Dark Alumin.	8.57
ProtegaBond WG500		Low temperature epoxy intermediate/finish (HA Item 116, RT98 7.1.7.) Colours: full tinted range	82	125	6.6	1031 950	A(j) 2010	2931TVH10MH	(5lt)	White tint base	10.01
								2931TCH10MH	(5lt)	Clear tint base	8.98
								405604310MH	(5lt)	Activator	12.42
								4873TVH11MH	5lt	Composite - White tint base	11.08
								4873TCH11MH	5lt	Composite - Clear tint base	10.57
Temabond ST300		Surface tolerant epoxy primer or intermediate (tintable) Colours: full tinted range	80	125	6.4	1031 1031	A(j) 2010	16273260450	(5lt)	TVH tint base - white	10.65
								16273230450	(5lt)	TCH tint base - clear	9.25
								00875010430	(5lt)	Activator	9.23
								16273260450C	5lt	Composite TVH white tint base	9.94
								16273230450C	5lt	Composite TCH clear tint base	9.24

TWO PACK NON-ISOCYANATE FINISHES

ProtegaSeal EA80		Compliant, high build, two component isocyanate-free gloss finish Colours: full tinted range	65	75	8.7	1737 1737 or 1031	A(j) 2010	2985TVL21MH	(5lt)	White tint base	11.11
								298590321MH	(5lt)	Clear tint base	10.42
								405604175MH	(5lt)	Activator	18.19
								4832TVL11MH	5lt	Composite - White tint base	12.05
								483290311MH	5lt	Composite - Clear tint base	11.47

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
POLYURETHANES											
Temadur 20		Semi-matt, two pack zinc phosphate polyurethane primer or primer/finish for steel Colours: full tinted range	57	70	8.143	1048 1048	A(j) 2007	11472260330	(3lt)	TVL tint base - white	8.80
								11472260360	(10lt)	TVL tint base - white	8.21
								11472230330	(3lt)	TCL tint base - clear	8.11
								11472230360	(10lt)	TCL tint base - clear	7.61
								00875900105	(3lt)	Activator	15.82
								00875900015	(10lt)	Activator	13.77
								11472260330C	3lt	Composite - white tint base	9.97
								11472260360C	10lt	Composite - white tint base	9.14
								11472230330C	3lt	Composite - clear tint base	9.40
								11472230360C	10lt	Composite - clear tint base	8.63
Temadur SC50		Semi-gloss two pack zinc phosphate polyurethane primer or primer/finish for steel	65	100	6.5	1048 1048	A(j) 2010	52872260360	(10lt)	TVL tint base - white	13.15
								52872230360	(10lt)	TCL tint base - clear	11.34
								00876400015	(10lt)	Activator	17.40
								52872260360C	10lt	Composite - white tint base	13.86
								52872230360C	10lt	Composite - clear tint base	12.35
Temadur SC80		Glossy two pack zinc phosphate polyurethane primer or primer/finish for steel	65	100	6.5	1048 1048	A(j) 2010	53272210360	(10lt)	TAL tint base - white	10.95
								53272230360	(10lt)	TCL tint base - clear	10.18
								00876400015	(10lt)	Activator	17.40
								53272210360C	10lt	Composite - white tint base	12.02
								53272230360C	10lt	Composite - clear tint base	11.38
ProtegaThane PLV		Recoatable two pack PU gloss finish (H.A. & RT98 approved) Colours: full tinted range including RAL9006 and selected metallic shades	53	40	13.3	1737 1737	A(j) 2010	289290071MH	(5lt)	White tint base	7.38
								289290371MH	(5lt)	Clear tint base	6.39
								289290871MH	(5lt)	Metallic tint base	8.85
								290590071MH	(5lt)	(L) White tint base*	poa
								290590371MH	(5lt)	(L) Clear tint base*	poa
								405412072MH	(5lt)	Activator	13.33
								480090011MH	5lt	Composite - White tint base	8.41
								480090311MH	5lt	Composite - Clear tint base	7.60
								480090811MH	5lt	Composite - Metallic tint base	9.55
								488590011MH	5lt	(L) Composite - White tint base*	poa
								488590311MH	5lt	(L) Composite - Clear tint base*	poa
ProtegaThane PLS(HS)		Recoatable two pack PU semi-gloss finish (H.A. & RT98 approved) Colours: full tinted range	58	50	11.6	1737 1737	A(j) 2010	2896TVL21MH	(5lt)	White tint base	7.25
								289690321MH	(5lt)	Clear tint base	6.10
								2906TVL21MH	(5lt)	(L) White tint base*	poa
								290690311MH	(5lt)	(L) Clear tint base*	poa
								405412107MH	(5lt)	Activator	17.64
								4821TVL11MH	5lt	Composite - White tint base	8.34
								482190311MH	5lt	Composite - Clear tint base	7.32
								4826TVL11MH	5lt	(L) Composite - White tint base*	poa
								482690311MH	5lt	(L) Composite - Clear tint base*	poa

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
ProtegaThane PDV		Two pack PU clear gloss finish for anti-graffiti and general use Colours: Clear only	50	40	12.5	1737 1737	A(j) 2007	289400162MH	(5lt)	Clear varnish - base	12.86
								405400163MH	(5lt)	Activator for Clear varnish	12.72
								483100111MH	5lt	Composite - Clear	12.79
Temadur 90		Recoatable two pack PU gloss finish Colours: full tinted range including metallics	55	40	13.8	1048 1048	A(j) 2007	11572210330	(3lt)	TAL tint base - white	8.23
								11572210360	(10lt)	TAL tint base - white	7.69
								11572230330	(3lt)	TCL tint base - clear	7.65
								11572230360	(10lt)	TCL tint base - clear	7.11
								11572300360	(10lt)	THL metallic tint base	7.73
								11572400360	(10lt)	TML Silver tint base	14.92
								00875900105	(3lt)	Activator	15.82
								00875900015	(10lt)	Activator	13.77
								11572210330C	3lt	Composite TAL white tint base	9.49
								11572210360C	10lt	Composite TAL white tint base	8.70
								11572230330C	3lt	Composite TCL clear tint base	9.01
								11572230360C	10lt	Composite TCL clear tint base	8.22
								11572300360C	10lt	Composite THL Metallic tint base	8.74
								11572400360C	10lt	Composite TML Silver tint base	14.72
Fontedur HB80		Water borne two pack PU topcoat, medium gloss	45	40	11.3	Water 1127	na	15682210360	(10lt)	FAL Tint base - white	14.55
								15682230360	(10lt)	FCL Tint base - Clear	15.37
								00876050330	(10lt)	Activator	17.19
								15682210360C	10lt	Composite - white tint base	15.32
								15682230360C	10lt	Composite - clear tint base	15.90

PHYSICALLY DRYING SINGLE PACK COATINGS

ProtegaChlor HBV		High build chlorinated rubber intermediate/finish. Colours: full tinted range	42	65	6.5	1006 1006	A(j) 2007	2949TVL11MH	5lt	White tint base	8.02
								294990311MH	5lt	Clear tint base	7.37
Temanyl MS Primer		Single pack tar-free vinyl underwater coating Colours: Aluminium (tintable to pinkish aluminium)	38	80	4.8	1006 1006	na	00867400070	20lt	Aluminium	6.25

STOVING PAINTS

ProtegaTherm PE20-W, 50-W & 90-W		Compliant high quality water borne stoving polyester enamel. Colours: to order	25 - 40	20	na	De-ion' Water Water or 1921	na	3874			
								3884	To order		poa

FAST DRY HOLDING & ETCH PRIMERS

ProtegaBlast EV110 & 111		Two pack epoxy zinc phosphate blast primer Colours: Red Oxide & Grey	32	20	16.0	1700 950	na	333900127MH	(20lt)	Red Oxide base	5.10
								333900227MH	(20lt)	Grey base	5.93
								405005111MH	(20lt)	Activator	3.45
								485700113MH	20lt	Composite Red Oxide	4.68
								485700213MH	20lt	Composite Grey	5.31

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
ProtegaBlast ET352		High flash, pvb phenolic zinc phosphate blast primer. Colours: Lt Grey only	14	20	7.0	nr 950	na	333500711MH	5lt	Lt Grey	6.79

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
ProtegaBlast ET335 & 336		pvb phenolic zinc phosphate blast primer, for automatic or hand spray Colours: Red Oxide & Grey	13	20	6.5	nr 950	na	333500413MH	20lt	Red Oxide	4.36
								333500452MH	1000lt*	Red Oxide	
								333500813MH	20lt	Grey	4.36
								333500852MH	1000lt*	Grey	
ProtegaBlast ET777		pvb/epoxy adhesion primer and bond coat Colours: Grey only	30	15	20.0	1031 1031	na	3338RJN44MH	(5lt)	Grey base	6.91
								405005940MH	(5lt)	Activator	9.50
								4856RJL11MH	5lt	Composite Grey	6.88
ProtegaBlast ET330-W		Single pack, water borne fast drying blast primer, for automatic and manual spray. Colours: Red Oxide & to order	44	20	22	Water Water or 1921	na	307700113MH	20lt	Red Oxide	poa
ProtegaPrime MPH465		Single pack phosphoric acid wash for fresh galvanising	na	na	20	nr 950	oos	416505011MH	5lt	na	2.55
ProtegaPrime MPH457		Two pack pvb zinc chromate etch primer. Colours: Buff only	12	10	12.0	nr 950	oos	339800210MH	(5lt)	Buff base	9.88
								406700710MH	(5lt)	Activator	5.37
								486300311MH	5lt	Composite Buff	7.62

ZINC PRIMERS

Temazinc 99UK		Epoxy zinc rich high build primer Colours: Grey/green only	55	75	7.3	1031 950	A(i) 2010	00874060360	(8lt)	Blue/grey base	20.82
								00874400330	(8lt)	Activator	6.88
								00874060360C	8lt	Composite Blue/grey	17.29
Temasil 90		Ethyl zinc silicate (zinc paste/binder) Colours: Grey/green only	55	75	7.3	1029 1029	A(i) 2010	00873810370	(19lt)	Grey/green base	24.37
								00873800360	(19lt)	Activator	8.68
								00873810370C	19lt	Composite Grey/green	16.52
Fontezinc 80		Water borne zinc rich epoxy primer	40	60	6.7	Water Water & 1029	na	93029150370	(8.4lt)	Reddish-grey Base	31.05
								93027600330	(8.4lt)	Activator	26.62
								93029150370C	8.4lt	Composite	30.00
Temazinc EE		High solids single pack epoxy zinc rich primer. Colours: Grey only	55	40	13.8	1006 1006	A(i) 2010	00873950460	6lt	Grey	23.80

HEAT RESISTING TOPCOATS

ProtegaLac HRA150		General purpose and heat resisting bright aluminium finish (to 150°C).	47	20	23.5	1050 1050	A(i) 2010	206800111MH	5lt	Bright aluminium	5.56
Protega HT600 Silver Semi-gloss		Silicone resin based, heat resisting Silver Semi-gloss topcoat	15	15	10.0	950 950	na	3369201004	5lt	Silver Semi-gloss	8.78
								336920113MH	20lt	Silver Semi-gloss	8.27
Protega HT600 Matt Black		Silicone resin based, heat resisting Matt Black topcoat	26	15	17.3	950 950	na	3369240004	5lt	Matt Black	8.44
								336924013MH	20lt	Matt Black	8.44

Protega
Protective
Coatings Price
List May 2009



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
BITUMINOUS & TAR BASED COATINGS											
ProtegaTar BTB136 & 137		General purpose high build, single pack, bituminous coating Colours: Black & Brown*	52	125	4.2	1050 1050	A(i) 2010	274213611MH	5lt	Black	3.62
								274213711MH	5lt	Brown*	poa
ProtegaTar ECT036 & 037		General purpose two pack coal tar epoxy Colours: Black & Brown*	70	125	5.6	1031 950	A(j) 2010	291100121MH	(5lt)	Black base	6.31
								291100178MH	(20lt)	Black base	5.49
								291100221MH	(5lt)	Brown base*	poa
								291100278MH	(20lt)	Brown base*	poa
								407108709MH	(5lt)	Activator	12.14
								407108721MH	(20lt)	Activator	11.84
								480900111MH	5lt	Composite Black	7.46
								480900113MH	20lt	Composite Black	6.74
								480900211MH	5lt	Composite Brown*	poa
ProtegaTar ECF036 & 037		High build, isocyanate-cured, coal tar epoxy Colours: Black & Brown*	66	125	5.3	1031 or 1700 1031	A(j) 2010	292103636MH	(20lt)	Black base	6.21
								292103736MH	(20lt)	Brown base*	poa
								407108810MH	(20lt)	Activator	6.21
								481103613MH	20lt	Composite Black	6.21
								481103713MH	20lt	Composite Brown*	poa

INTUMESCENT COATINGS FOR STEELWORK

ProtegaFire S167		Water borne intumescent coating for high Hp/A and hollow section steelwork. Colours: off-white, full tinted range in topseal	70	na	na	Water 902	A(i) 2010	419200213MH	20lt	Off-white	10.43
ProtegaFire S168		Water borne intumescent coating for beam & column steelwork. Colours: off-white, full tinted range in topseal	70	na	na	Water 902	A(i) 2010	419200113MH	20lt	Off-white	8.11

COATINGS FOR PLASTICS & POLYPROPYLENE

ProtegaPlas QD		Air-drying, low gloss, acrylic enamel for the coating of plastics. Colours: to order	27	15	18.0	1701 1701	oos	2812	To order*		poa
ProtegaPlas PP-W		Low bake, water borne enamel for the coating of polypropylene Colours: Bright Silver, New Silver & to order	30	15	20.0	Water Water or 1921	oos	3450001	Primer*		poa
								3450RCS	Bright Silver*		poa
								3450RFF	New Silver*		poa
								3450	Shades To order*		poa

COATINGS FOR CLADDING MAINTENANCE PAINTING

ProtegaClene C		Single pack, biodegradeable degreasing agent	na	na	na	Water Water	oos	407705011MH	5lt	na	12.54
ProtegaClad Bonding Coat		Primer and adhesion coat for ProtegaClad 50 and 50M and general purpose Colours: full tinted range	30	15	20.0	1031 1031	A(h) 2010	3355TVH44MH	(5lt)	White tint base	9.69
								3355TCH44MH	(5lt)	Clear tint base	9.20
								405005940MH	(5lt)	Activator	9.50

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
								4825TVH11MH	5lt	Composite - White tint base	9.55
								4825TCH11MH	5lt	Composite - Clear tint base	8.97

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
ProtegaClad 50		Two pack polyurethane, semi-gloss, maintenance coating for architectural cladding Colours: full tinted range	58	50	11.6	1737 1737	A(j) 2010	2897TVL21MH	(5lt)	White tint base	12.18
								2897TCL21MH	(5lt)	Clear tint base	11.58
								2886TVL21MH	(5lt)	(L) White tint base	poa
								2886TCL21MH	(5lt)	(L) Clear tint base	11.58
								405412207MH	(5lt)	Activator	29.15
								4824TVL11MH	5lt	Composite - White tint base	13.79
								4824TCL11MH	5lt	Composite - Clear tint base	13.33
								4887TVL11MH	5lt	(L) Composite - White tint base	poa
								4887TCL11MH	5lt	(L) Composite - Clear tint base	13.33
ProtegaClad M50		Two pack polyurethane, metallic semi-gloss, maintenance coating for architectural cladding Colours: RAL9006 & 9007*	42	40	10.5	1737 1737	A(j) 2010	290091921MHR	(5lt)	RAL9006 base	25.37
								290066521MHR	(5lt)	RAL9007 base*	poa
								405412207MH	(5lt)	Activator	29.15
								482891911MHR	5lt	Composite RAL9006	25.03
								482866511MHR	5lt	Composite RAL9007*	poa
ProtegaClad LJF		Single pack, gunnable, recoatable gap filler, for use with ProtegaClad CEP. Colours: Grey only	na	na	na	na 1031	oos	288115600MH	310ml	Grey	8.23
ProtegaClad CEP		Unique single pack, elastomeric, narrow gap filler and primer/finish for architectural cladding repair. Colours: Grey only	na	na	na	na 1031	oos	288815610MH	2.5lt	Grey	37.68
ProtegaClad PV series		Single pack, modified acrylic finish for repainting of architectural cladding Colours: full tinted range	36	40	9.0	1006 1006	A(i) J6302007	294790011MH	5lt	White tint base	7.86
								294790311MH	5lt	Clear tint base	7.62

FLOOR COATINGS

Fontecoat FL100		Water borne two pack epoxy floor and wall coating Colours: full tinted range	50	50	10	Water Water	A(j) 2010	10360010360	(10lt)	FAL tint base - white	11.78
								10362030360	(10lt)	FCH tint base - clear	10.05
								00840420030	(10lt)	Activator	10.63
								10360010360C	10lt	Composite - FAL white base	11.40
								10362030360C	10lt	Composite - FCH clear base	10.24
											0.00
ProtegaCoat WBH-W		Two component, high build, water borne epoxy intermediate/finish and floor coating Colours: Red & Grey	37	50	7.4	Water 902	A(j) 2010	315100110MH	(5lt)	Red base	10.42
								315100210MH	(5lt)	Grey base	9.65
								405006010MH	(5lt)	Activator	10.27
								485000111MH	5lt	Composite Red	10.31
								485000211MH	5lt	Composite Grey	9.97
OPUS FC50		Modified urethane alkyd single pack floor coating Colours: Red & Grey	42	35	12	1050 1050	A(i) 2010	4895RJT11MH	5lt	Red	4.13
								4895RJT11MH	5lt	Grey	4.38
ProtegaFloor EEF		Epoxy ester floor and general purpose coating Colours: Clear, Red, Grey, Green & full tinted range	40	40	10.0	1050 1050	A(i) 2010 A(i) 2010 A(i) 2010 A(i) 2007 A(i) 2010 A(i) 2010	292800211MH	5lt	Red	7.07
								292800311MH	5lt	Grey	5.84
								292800511MH	5lt	Green	5.68
								292800611MH	5lt	Clear	4.26
								2928TAL11MH	5lt	White tint base	7.05
								2928TCL11MH	5lt	Clear tint base	5.68

Symphony Paints (South) Ltd
Lincoln Road, Cressex Business Park, High Wycombe, Bucks
HP12 3RB
T:0845 456 2425. E:sales@symphonypaints.co.uk

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
ProtegaCoat GPL		Chemically resistant epoxy finish and floor coating Colours: full tinted range	50	75	6.7	1031 1031	A(j) 2010	2933TVH44MH	(5lt)	White tint base	7.74
								293390344MH	(5lt)	Clear tint base	6.70
								405600140MH	(5lt)	Activator	12.58
								4802TVH11MH	5lt	Composite - White tint base	8.90
								480290311MH	5lt	Composite - Clear tint base	8.09
TemaFloor 400		Two component, solvent free, clear epoxy primer & sealer for concrete floors Colours: Clear only	100	100	10	1029 1029	A(j) 2010	00844030360	(8lt)	Clear base	9.24
								00844030330	(8lt)	Activator	10.30
								00844030360C	8lt	Composite Clear	9.50
TemaFloor 210		Two component, solvent free, clear epoxy primer & sealer for concrete floors Colours: Clear only	100	100	10.0	1029 1029 or 1031	A(j) 2010	00844200330	(8lt)	Clear base	10.23
								00844300330	(8lt)	Activator	13.34
								00844200330C	8lt	Composite Clear	11.01
TemaFloor P300		Two component, solvent free, high build epoxy floor coating Colours: Red, Grey & Heysham Grey; to order - Nissan Grey, Blue, Green & Buff Note: 2995101 activator must ONLY be used with 2995-series base.	100	300	3.3	na 1029 or 1031	A(j) 2010	16702840350	(4.5lt)	Red base	11.98
								16704290350	(4.5lt)	Grey base	9.40
								167065S0350	(4.5lt)	Blue* (~20E51)	poa
								167C2800350	(4.5lt)	Green* (~14C39)	poa
								167608K0350	(4.5lt)	Buff*	poa
								299533025MH	5KG	Nissan Grey base	5.80
								299500725MH	5KG	Heysham Grey base	5.63
								299510120MH	1KG	Activator for 2995	14.96
								00845140110	(4.5lt)	Activator for P300	11.87
								16702840350C	4.5lt	Composite Red	11.75
								16704290350C	4.5lt	Composite Grey	9.66
								299533025MHC	6KG	Composite Nissan Grey	7.19
								299500725MHC	6KG	Composite Heysham Grey	7.13
								167065S0350C	4.5lt	Composite Blue*	poa
								167C2800350C	4.5lt	Composite Green*	poa
								167608K0350C	4.5lt	Composite Buff*	poa
Acid Etch Solution		For the preparation of concrete floors prior to coating	na	na	4.0	na	Water	415510111MH	5lt	na	4.61
TemaFloor 3000		Three component, solvent-free epoxy self-leveller, consisting of TemaFloor P300 resin mixed with ProtegaFloor 2000 Filler	100	2 to 3mm	~3.2 m ² per mix, at 2mm dft	na 1029 or 1031	A(j) 2010	as P300 and Filler		as P300	as P300 and Filler
ProtegaFloor 2000 Filler		Use with TemaFloor 210 to make a filled primer and to mix with TemaFloor P300 to make TemaFloor 3000 self-leveller	na	na	na	na	na	270220123MH	7KG	na	1.39
ProtegaFloor Aggregate No.1		Fine to medium grade bauxite anti-slip aggregate	na	na	na	na	na	417005019MH	25KG	na	2.36
ProtegaFloor Aggregate No.2		Coarse grade bauxite anti-slip aggregate	na	na	na	na	na	417005519MH	25KG	na	2.36

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
THINNERS & CLEANERS											
Thinner 902								402000913MH	20lt		5.40
Thinner 903								402001711MH	5lt		6.03
								402001713MH	20lt*		poa
								4020017233	205lt*		poa
Thinner 950		Note - Thinner 1024 (code 00610240060) can be used in place of Thinner 950 and is more economical						402000811MH	5lt		6.79
								402000813MH	20lt*		poa
Thinner 1006								402000111MH	5lt		3.20
								402000113MH	20lt		3.08
								402000115MH	205lt*		poa
Thinner 1024								00610240060	10lt		3.67
Thinner 1029								00610290060	10lt		3.48
Thinner 1031								402000211MH	5lt		3.64
								402000213MH	20lt		3.50
Thinner 1048								4037025036	5lt		poa
								403702513MH	20lt		4.59
								4037025233	205lt*		poa
Thinner 1050		Note - Thinner 1054 (code 00610540060) can be used in place of Thinner 1050 and is more economical						402000311MH	5lt		7.65
											0.00
Thinner 1054								00610540060	10lt		3.78
Thinner 1127											0.00
								00611270070	20lt		6.98
Thinner 1700								4023319233	205lt*		poa
Thinner 1701								4023328036	5lt		7.11
Thinner 1736								416201811MH	5lt		9.41
Thinner 1737 (formerly 1061)											
								402000411MH	5lt		5.59
Gun Wash								402002113MH	20lt		1.69
ProtegaClean 1921								416410613MH	20lt		3.01

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
TEMASPEED COLOURANTS											
Temaspeed Colourant TS01		Strong Black						490120121MH	4lt		17.20
Temaspeed Colourant TS02		Yellow Oxide						490120221MH	4lt		17.29
Temaspeed Colourant TS03		Blue						490120321MH	4lt		26.22
Temaspeed Colourant TS04		Green						490120421MH	4lt		30.67
Temaspeed Colourant TS05		White						490120521MH	4lt		22.94
Temaspeed Colourant TS06		Magenta						490120621MH	4lt		38.39
Temaspeed Colourant TS07		Citron Yellow						490120721MH	4lt		72.58
Temaspeed Colourant TS08		Red Oxide						490120821MH	4lt		21.48
Temaspeed Colourant TS09		Weak Black						490120921MH	4lt		14.91
Temaspeed Colourant TS10		Orange Yellow						490121021MH	4lt		47.96
Temaspeed Colourant TS11		Red						490121121MH	4lt		50.46
Temaspeed Lead Colourant TC65		Lead Chromate Yellow						490121209MH	1lt		31.59
Temaspeed Lead Colourant TC66		Molybdate Orange						490121409MH	1lt		30.24
Temaspeed Lead Colourant TC69		Lead Chromate Medium Yellow						490121309MH	1lt		29.04
Temaspeed Lead Colourant TC74		Bon Red						490121509MH	1lt		21.36

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
ADDITIONAL PRODUCTS											
ProtegaBlast LN								3368273004	5lt	Black Matt	5.87

**Protega
Protective
Coatings Price
List May 2009**



Industrial Paint Service



Product Name	Livery ⁸	Description ⁶	VS% ¹	DFT ²	Sq.m/ lt ³	Thinner & Cleaner	VOC ⁷ 2004/ 42/EC	Product Code ⁵	Pack Size ⁴	Colours	Price per Ltr
--------------	---------------------	--------------------------	------------------	------------------	--------------------------	-------------------------	------------------------------------	---------------------------	---------------------------	---------	------------------

* An asterisk denotes a Make-To-Order item. Minimum quantities will apply, please consult Prospeed Coatings for details.

poa - Price On Application (usually for non-stock pack sizes or special products)

nr - Not Recommended

na - Not Applicable

oos - Out Of Scope (i.e. VOC Product Directive does not apply to this category of coating)

cpc - Consult Prospeed Coatings

¹ Volume solids figures are plus or minus 2% minimum, see Product Data Sheets for further details.

² Typical dry film thickness in microns, except where otherwise stated

³ Theoretical Coverage at typical DFT, in m² per litre except where otherwise stated. Allow appropriate loss factors.

⁴ Pack Size in Litres, except where otherwise stated. Pack CONTENTS may vary for tinted products, but Invoices will reflect actual fill volumes in all cases. Pack sizes marked with an asterisk* are special make-to-order sizes or products.

⁵ Where full colour ranges are available from tint bases, codes shown are for tint bases, finished product codes shown on invoices will differ.

⁶ "H.A." means Highways Agency, "RT98" means Network Rail.

⁷ The VOC Product Directive 2004/42/EC took effect from 1st January 2007. From this date, all products to be used on "buildings" must meet certain VOC levels and be labelled accordingly. Products not complying with the Directive can still be sold and used on "buildings" during 2007, if manufactured prior to 2007.

⁸ Livery - denotes whether a product is from Protega Coatings or Tikkurila Coatings.

Thinners & Cleaners: Thinners code is shown at the top, Cleaner code beneath. Where alternatives exist, "or" is shown.

DO NOT USE CLEANER AS THINNER unless confirmation is received from Prospeed Coatings.

Two Pack Products are usually sold as Composites (i.e. base plus activator). Orders should be placed using the Composite code.

Prices are shown for individual components for those occasions where odd tins of one component needs to be ordered separately.

Due to various bases having common activators, prices of individual components may sometimes be more expensive than the composite price.

Prices: all items on this Price List are all ex VAT, price per litre except where otherwise stated, and subject to our Standard Conditions of Sale, copies of which are available on request.

Delivery charges apply for small orders, please consult your representative

Effective Date: this Price List is effective from, and held firm to, dates advised in accompanying letter.

Returns: we do not accept returned material, except in the event of incorrect delivery due to an error by ourselves or where material has been shown to our satisfaction to be not of specified quality. All returns must be authorised by Prospeed Coatings prior to despatch. Any credits for returned material will be subject to approval by Prospeed Coatings.

Colours: Use the white base price + 100p for tinted colours. Large volume discounts available on all products.

SALES LINE: 08444 931480

Sales Fax: 08444 931481

Technical Help desk: +44 (0)121 524 2245